



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

CALIFORNIA—*Los Angeles*.—Month of May, 1900. Estimated population, 103,000. Total number of deaths, 146, including diphtheria, 2; enteric fever, 2; whooping cough, 4, and 37 from phthisis pulmonalis.

Oakland.—Month of May, 1900. Estimated population, 75,000. Total number of deaths, 65, including enteric fever, 2; scarlet fever, 1; whooping cough, 2, and 9 from tuberculosis.

Sacramento.—Month of May, 1900. Estimated population, 30,000. Total number of deaths, 42, including 9 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of May, 1900, from 167 towns, having an aggregate estimated population of 911,234, show a total of 1,230 deaths, including diphtheria, 22; enteric fever, 10; measles, 18; scarlet fever, 6; whooping cough, 14, and 127 from phthisis pulmonalis.

Bridgeport.—Month of May, 1900. Estimated population, 65,000. Total number of deaths, 96, including enteric fever, 1, and 10 from tuberculosis.

Hartford.—Month of May, 1900. Estimated population, 76,000. Total number of deaths, 84, including diphtheria, 3; enteric fever, 1, and 12 from phthisis pulmonalis.

ILLINOIS—*Chicago*.—Month of January, 1900. Estimated population, 1,750,000. Total number of deaths, 2,291, including diphtheria, 111; enteric fever, 23; measles, 18; scarlet fever, 48; whooping cough, 16, and 254 from tuberculosis.

Month of February, 1900. Total number of deaths, 2,105, including diphtheria, 88; enteric fever, 14; measles, 31; scarlet fever, 47; whooping cough, 11, and 234 from tuberculosis.

Month of March, 1900. Total number of deaths, 2,547, including diphtheria, 82; enteric fever, 27; measles, 37; scarlet fever, 21; whooping cough, 13, and 295 from tuberculosis.

IOWA—*Davenport*.—Month of May, 1900. Estimated population, 42,000. Total number of deaths, 45, including 7 from tuberculosis.

Des Moines.—Month of May, 1900. Estimated population, 70,000. Total number of deaths, 69, including scarlet fever, 1, and 12 from phthisis pulmonalis.

LOUISIANA—*New Orleans*.—Month of May, 1900. Estimated population, 300,000—white, 210,000; colored, 90,000. Total number of deaths, 668—white, 376; colored, 292, including enteric fever, 11; whooping cough, 1; smallpox, 60, and 74 from tuberculosis.

MASSACHUSETTS—*Fitchburg*.—Month of May, 1900. Estimated population, 30,523. Total number of deaths, 46, including diphtheria, 2; scarlet fever, 1, and 3 from phthisis pulmonalis.

Lawrence.—Month of May, 1900. Estimated population, 59,072. Total number of deaths, 132, including diphtheria, 3; enteric fever, 2; measles, 13; scarlet fever, 3, and 15 from phthisis pulmonalis.

Newton.—Month of May, 1900. Census population, 27,590. Total number of deaths, 30, including diphtheria, 2; enteric fever, 1, and 3 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended June 9, 1900, from 77 observers, indicate that cholera morbus, diarrhea, and remittent fever increased and pneumonia and erysipelas decreased in area of prevalence. Phthisis pulmonalis was reported present at 172, measles at 91, scarlet fever at 67, enteric fever at 31, whooping cough at 24, diphtheria at 22, smallpox at 9, and cerebro-spinal meningitis at 6 places.

MINNESOTA—*Winona.*—Month of May, 1900. Estimated population, 24,000. Total number of deaths, 20, including 2 from phthisis pulmonalis.

MISSOURI—*St. Louis.*—Month of April, 1900. Estimated population, 647,000—white, 610,000; colored, 37,000. Total number of deaths, 1,020—white, 902; colored, 118, including diphtheria, 24; enteric fever, 4; measles, 5; scarlet fever, 3; smallpox, 1; whooping cough, 3, and 100 from tuberculosis.

NEW YORK.—Reports to the State board of health, Albany, for the month of April, 1900, from 156 cities, towns, and villages, having an aggregate estimated population of 7,400,000, show a total of 12,486 deaths, including diphtheria, 277; enteric fever, 96; measles, 191; scarlet fever, 92; whooping cough, 117, and 1,302 from phthisis pulmonalis.

Buffalo.—Month of May, 1900. Estimated population, 370,000. Total number of deaths, 399, including diphtheria, 6; enteric fever, 5; measles, 5, and 54 from tuberculosis.

Kingston.—Month of May, 1900. Estimated population, 26,000. Total number of deaths, 43, including measles, 1, and 2 from phthisis pulmonalis.

PENNSYLVANIA—*Oil City.*—Month of May, 1900. Estimated population, 17,000. Total number of deaths, 14, including 1 from tuberculosis.

TEXAS—*Laredo.*—Month of April, 1900. Estimated population, 14,000. Total number of deaths, 48, including enteric fever, 1, and 3 from tuberculosis.

Month of May, 1900. Estimated population, 14,000. Total number of deaths, 43, including enteric fever, 1, and 6 from phthisis pulmonalis.

UTAH—*Salt Lake City.*—Month of May, 1900. Estimated population, 70,000. Total number of deaths, 44, including diphtheria, 2, and 1 from tuberculosis.

VIRGINIA—*Petersburg.*—Month of May, 1900. Estimated population, 25,000. Total number of deaths, 39, including enteric fever, 1, and 1 from phthisis pulmonalis.

WASHINGTON—*Seattle.*—Month of May, 1900. Estimated population,

90,000. Total number of deaths, 74, including enteric fever, 2, and 7 from tuberculosis.

Tacoma.—Month of May, 1900. Estimated population, 50,000. Total number of deaths, 38, including 9 from tuberculosis.

Report of immigration at Boston for the week ended June 9, 1900.

OFFICE OF U. S. COMMISSIONER OF IMMIGRATION,
Port of Boston, June 10, 1900.

Number of alien immigrants who arrived at this port during the week ended June 9, 1900; also names of vessels and ports from which they came.

Date.	Vessel.	Where from.	No. of immigrants.
June 3	Steamship Prince Arthur.....	Yarmouth, Nova Scotia.....	95
Do....	Steamship Yarmouth.....do.....	61
Do....	Steamship Kansas.....	Liverpool, England	14
Do....	Schooner C. B. Harrington.....	Port Muton, Nova Scotia.....	2
June 4	Steamship Cambrian.....	London, England	17
Do....	Steamship Admiral Dewey.....	Port Morant, Jamaica.....	12
Do....	Schooner May F. Smith	Port Muton, Nova Scotia.....	2
June 5	Steamship Turcoman.....	Liverpool, England	17
June 6	Steamship Georgian.....do.....	20
Do....	Schooner Emma E. Potter.....	Clementsport, Nova Scotia.....	2
June 7	Steamship Prince Arthur.....	Yarmouth, Nova Scotia.....	102
Do....	Steamship Yarmouth.....do.....	92
June 8	Steamship Florida.....	Halifax, Nova Scotia.....	88
Do....	Steamship Mancunia	Rio Grande, Nicaragua	1
Do....	Steamship Sylvania	East London, South Africa.....	25
June 9	Steamship Irishman.....	Liverpool, England	16
	Total	566

GEORGE B. BILLINGS,
Commissioner.